


LIPARI 1990

Design Unopiù

UNOPIU'

Item code:

QU98 - QU4



TERMS OF USE

H

Hard Conditions: bar, pub

SG

Seaside

M

Medium Conditions: HORECA

MATERIALS AND FINISHES

Poplar wood frame




Poplar

TYPE OF PRODUCT

Assembled

PACKAGING




1 pz



32 Kg



0,210 m³



26 x 26 x 310 cm


LIPARI 1990

Design Unopiù

UNOPIU'

Item code:

RE34 - RE95



TERMS OF USE

H

Hard Conditions: bar, pub

SG

Seaside

M

Medium Conditions: HORECA

MATERIALS AND FINISHES

Poplar wood frame




Poplar

TYPE OF PRODUCT

Assembled


PACKAGING




1 pz



32 Kg




0,210 m³



26 x 26 x 310 cm

Item code:

RO92 - RO4**TERMS OF USE****H**

Hard Conditions: bar, pub

SG

Seaside

M

Medium Conditions: HORECA

MATERIALS AND FINISHES


Poplar wood frame



Poplar

TYPE OF PRODUCT


Assembled

PACKAGING

1 pz




32 Kg

0,210 m³

26 x 26 x 310 cm



Item code:

OMSU

Ombrelloni rettangolari e rotondi con palo centrale d. 4 cm

TERMS OF USE

Hard Conditions: bar, pub



Seaside



Medium Conditions: HORECA

MATERIALS AND FINISHES


Aluminium frame



Aluminium

TYPE OF PRODUCT


To be assembled

PACKAGING

1 pz



5 Kg

0,039 m³

16 x 16 x 153 cm

CURA E MANUTENZIONE

ALLUMINIO

Per mantenere pulito l'alluminio è sufficiente una bacinella con acqua pulita tiepida, un detergente solido o liquido neutro – non abrasivo e non a base di ammoniaca, candeggina o alcool – panni morbidi e una spugna non abrasiva. Utilizzare il panno morbido per asciugare ed evitare la formazione di aloni. Si raccomanda di utilizzare solo acqua tiepida a temperatura massima di 30°. Nel caso di macchie persistenti utilizzare una soluzione di aceto, saponi di Marsiglia neutro o bicarbonato (un cucchiaio di sapone/bicarbonato per ogni litro di acqua).

TESSUTI

I tessuti in acrilico possono essere lavati a mano o in lavatrice (temperatura massima dell'acqua di 30°) utilizzando un saponio neutro, tipo saponi di Marsiglia. Per eliminare macchie o punti di muffa si consiglia di fare un pre-ammollo con acqua fredda e qualche goccia di candeggina (consigliata candeggina delicata) e poi procedere al lavaggio, evitando la centrifuga. Si consiglia l'asciugatura naturale alla luce del sole. Per effettuare la stiratura è preferibile procedere mettendo un panno umido tra ferro da stirio e tessuto. In questo modo si contribuisce a restituire al tessuto la sua morbidezza. I cuscini devono essere riposti all'interno durante l'inverno e nel caso di lunghi periodi di inutilizzo, così come in caso di pioggia persistente.

CARE AND MAINTENANCE

ALUMINUM

To maintain the aluminium clean use a basin with warm clean water, a solid or neutral liquid detergent (non-abrasive and not ammonia, bleach or alcohol-based) soft cloths and a non-abrasive sponge. Use a soft cloth to prevent halos. It is recommended to use only lukewarm water (maximum 30°C). In case of persistent stains use a solution of vinegar, neutral Marseille soap or bicarbonate (a spoonful of soap/bicarbonate for each liter of water).

FABRICS

Acrylic fabrics can be washed by hand or in the washing machine (maximum water temperature of 30°) using a neutral soap, such as Marseille soap. To eliminate mold stains and dots it is advisable to pre-soak with cold water and a few drops of bleach (delicate bleach is recommended) and then wash, avoiding the spin cycle. Drying under sunlight is recommended. To iron, it is advisable to proceed by placing a damp cloth between the iron and the fabric. This helps to restore the softness of the fabric. The cushions must be stored indoor during the winter and during long periods of inactivity, as well as in case of persistent rain.